

CS 635 Advanced Object-Oriented Design & Programming
Fall Semester, 2021
Doc 2 Big Ball of Mud, OO
Aug 26, 2021

Copyright ©, All rights reserved. 2020 SDSU & Roger Whitney,
5500 Campanile Drive, San Diego, CA 92182-7700 USA.
OpenContent (<http://www.opencontent.org/opl.shtml>) license
defines the copyright on this document.

What Compsci textbooks don't tell you

What don't they tell you?

What are the causes of bad Software?

What is the simple fix?

What is a Big Ball of Mud?

What Forces Lead to Big Ball of Mud

Patterns

Big Ball of Mud

Throwaway Code

Piecemeal Growth

Keep it Working

Shearing Layers

Sweeping it Under the Rug

Reconstruction

Big Ball of Mud

You need to deliver quality software on time, and under budget.

Therefore, focus first on features and functionality, then focus on architecture and performance.

Enemy of Big Ball of Mud

Top down design

Hire good architects

Problems

Variable and function names
uninformative

Functions themselves may make extensive use of
global variables,
long lists of poorly defined parameters.

The function themselves are
lengthy and convoluted,
perform several unrelated tasks.

The programmer's intent is next to impossible to discern.

We built the most complicated system that can possible work

Three ways to deal with BIG BALLS OF MUD

Extreme Programming Practices

Pair programming

Planning game

Test driven development

Customer part of development team

Continuous integration

Refactoring or design improvement

Small releases

Coding standards

Collective code ownership

Simple design

System metaphor

Sustainable pace

Throwaway Code

You need an immediate fix for a small problem, or a quick prototype or proof of concept.

Therefore, produce, by any means available, simple, expedient, disposable code that adequately addresses just the problem at-hand.

Why do we need throwaway code?

What the main problem with throwaway code?

Piecemeal Growth

Users' needs change with time.

Therefore, incrementally address forces that encourage change and growth.

Allow opportunities for growth to be exploited locally, as they occur.

Refactor unrelentingly.

What is the main problem with Piecemeal Growth?

Keep it Working

Maintenance needs have accumulated, but an overhaul is unwise, since you might break the system.

Therefore, do what it takes to maintain the software and keep it going. Keep it working.

How do Piecemeal Growth and Keep it Working lead to a ball of mud?

How can we use Piecemeal Growth and Keep it Working and avoid the ball of mud?

Is it advisable to use Piecemeal Growth and Keep it Working?

Shearing Layers

Different artifacts change at different rates

Therefore

Factor your system so that artifacts that change at similar rates are together

Why?

Put things that change at different rates in different places?

Example?

Sweep it Under the Rug

Overgrown, tangled, haphazard spaghetti code is hard to comprehend, repair, or extend, and tends to grow even worse if it is not somehow brought under control.

Therefore, if you can't easily make a mess go away, at least cordon it off.

This restricts the disorder to a fixed area, keeps it out of sight, and can set the stage for additional refactoring.

Reconstruction

Your code has declined to the point where it is beyond repair, or even comprehension.

Therefore, throw it away and start over.

"Plan to throw one away, you will anyway"

Fred Brooks

Problems with Starting Over

Cost

Time

Reintroduce bugs

Few features

Kent Beck's Properties of Good Style

Kent Beck's Properties of Good Code Style

Once and only once

Lots of little pieces

Replacing objects

Moving Objects

Rates of change

Once and Only Once

"In a program written with good style, everything is said once and only once"

If have

- several methods with same logic

- several objects with same methods

then rule is not satisfied



Lots of little pieces

"Good code invariably has small methods and small objects"

Small pieces allow you to satisfy "once and only once"

Principles of OO Design, or Everything I Know About Programming, I Learned from Dilbert

Alan Knight



DilbertCartoonist@gmail.com

© 2015 Scott Adams, Inc. /Dist. by Universal Uclick

www.dilbert.com

1-25-15

1. Never do any work that you can get someone else to do for you

Excuse me Smithers. I need to know the total bills that have been paid so far this quarter. No, don't trouble yourself. If you'll just lend me the key to your filing cabinet I'll go through the records myself. I'm not that familiar with your filing system, but how complicated can it be? I'll try not to make too much of a mess.

Verses

SMITHERS! I need the total bills that have been paid since the beginning of the quarter. No, I'm not interested in the petty details of your filing system. I want that total, and I'll expect it on my desk within the next half millisecond.

Encapsulation & Responsibility

Encapsulation is about responsibility

Who does the work

Who should do the work

2. Avoid Responsibility

If you must accept a responsibility, keep it as vague as possible.

For any responsibility you accept, try to pass the real work off to somebody else.

```
class TernarySearchTree {  
  
    public void insert(String word) {  
        root.insert(new StringIterator(word));  
    }  
}
```

Have the Node do the work

Terms

Class

A blueprint to create objects

Includes attributes and methods that the created objects all share

Object

Allocated region of storage

Both the data and the instructions that operate on that data

Example

```
class Point
  def initialize(x, y)
    @x = x
    @y = y
  end

  def to_s
    "Point( #@x,#@y)"
  end
end
```

```
example = Point.new(10,5)
```

```
example.to_s
```

Alternative Definition

Object

First-class, dynamically dispatched behavior

Behavior

Collection of named operations

Operations can be invoked by clients

Operations may share additional hidden details

Dynamic dispatch

Different objects can implement the same operation name(s) in different ways

First class

Objects have the same capabilities as other kinds of values

Passed to operations

Returned as the result of an operation

Alan Kay Father of Object-Oriented Programming

I'm sorry that I long ago coined the term "objects" for this topic because it gets many people to focus on the lesser idea.

OOP to me means only

messaging,

local retention and protection and hiding of state-process, and

extreme late-binding of all things.

The big idea is "messaging"

The key in making great and growable systems is much more to design how its modules communicate rather than what their internal properties and behaviors should be.

Abstraction

“Extracting the essential details about an item or group of items, while ignoring the unessential details.”

Edward Berard

“The process of identifying common patterns that have systematic variations; an abstraction represents the common pattern and provides a means for specifying which variation to use.”

Richard Gabriel

Encapsulation

Enclosing all parts of an abstraction within a container

Information Hiding

Hiding of design decisions in a computer program


Hide decisions are most likely to change,
To protect other parts of the program

Class

Represents an abstraction

Encapsulates data and operations of the abstraction

Hide design decisions/details



Heuristics

2.1 All data should be hidden within it class

2.8 A class should capture one and only one key abstraction

2.9 Keep related data and behavior in one place

Non-OO items

Utility methods

Data classes

Utility method

Method in class that

Does not access any field (data member, instance variables)

Just uses parameters

Utility Method - Example

```
class CrosswordPuzzle {
    public void someMethodThatDoesStuff {
        bunch of stuff not shown
        count = vowelCount(aWord);
        blah
    }

    private int vowelCount(String word) {
        int vowelCount = 0;
        for (int k = 0; k < word.length(); k++ ) {
            char current = word.charAt(k);
            if ( (current == 'a') || (current == 'e' ) || (current == 'i') || (current == "o" )
                || (current == "u" ) )
                vowelCount++;
        }
        return vowelCount;
    }
}
```

OO Version

Is this better? Why

```
class String {  
    public int vowelCount {  
        int count = 0;  
        for (char current in this)  
            if (current.isVowel()) count++;  
        return count;  
    }  
}
```

```
class Character {  
  
    public boolean isVowel() {  
        return (this == 'a') || (this == 'e' ) || (this == 'i') || (this == "o" )|| (this == "u");  
    }  
}
```

```
class CrosswordPuzzle {  
    public void someMethodThatDoesStuff {  
        bunch of stuff not shown  
        count = aString.vowelCount();  
        blah  
    }  
}
```

Extending Classes

Java

Final classes

Can not edit JDK classes

Python 3

Can't add methods outside of class(?)

Swift

```
extension String {  
    func foo() -> Int {  
        return 5  
    }  
}
```

"a".foo()

Kotlin

```
fun String.foo() : Int {  
    return 5  
}
```

"a".foo()